US ISSN 0022 0493

Journal of Economic Entomology

Volume 86
1993

Published by THE ENTOMOLOGICAL SOCIETY OF AMERICA

JEENAI 86: 1–1882 (1993)

CUMULATIVE AUTHOR INDEX
Journal of Economic Entomology
Volume 86, 1993

A
Abd-Elghafar, S. F., 1651
Abdel-Aal, Y.A.I., 213, 660
Adcock, G. J., 1001
Agnello, A. M., 110
Ahn, Y.-J., 1334
Ainsworth, J. M., 1026
Albert, P. J., 1490
Alexander, C. M., 1516
Alford, A. R., 1574, 1793
Ali, A., 735, 1064
Alison, Jr., M. W., 614
Allison, D., 137, 586
Alvarado-Rodriguez, B., 314
Alves, R.M.L., 1088
Alves, S. B., 1083, 348
Anderson, R. J., 1393, 1579
Angle, Jr., G. W., 1339
Apfelbeck, K., 11
Appel, A. G., 777
Arita, L. H., 1416
Arnason, J. T., 1599
Asino, G. O., 739, 969

B
Backus, E. A., 945
Baker, C. A., 1603
Ban, P. M., 772
Banko, T. J., 1446
Bar, D., 205, 369, 421
Barney, R. J., 174
Barratt, B.I.P., 917
Batterham, P., 1001
Bauernfeind, R. J., 159
Beckingham, M., 798
Behle, R. W., 363
Behrens, P., 1584
Bell, R. L., 1297
Benedict, J. H., 1228, 1811
Beninger, C. W., 1599
Benson, E. P., 777
Bentley, M. D., 1793
Berberet, R. C., 1241
Berberich, S. A., 181
Bernon, G. L., 1104
Berry, R. E., 809
Bessin, R. T., 929
Bierlein, D. L., 917
Black, B., 1030
Boethel, D. J., 265, 1236
Bohls, R., 557
Bondari, K., 123
Borden, J. H., 1835
Borth, D. M., 1339
Boxler, D. J., 1144
Boydston, L., 137
Braman, S. K., 494
Brandl, D. G., 1773
Brard, N. L., 864
Breen, J. P., 621, 1279
Bridgeman, B. W., 239
Brindley, W. A., 1656
Brown, H. E., 377
Brunner, J. F., 1
Bryant, Jr., V. M., 1429
Bull, D. L., 20, 1754
Bullington, S. W., 1151
Buntin, G. D., 517
Burd, J. D., 974
Burgett, D. M., 712
Burr, K. E., 93
Burton, R. L., 974
Busey, P., 1720
Bush, M. R., 213, 660. 667
Butts, R. A., 1259
Byers, R. A., 917
Byford, R. L., 1040
Byun, S.-J., 1334

C
Caddel, J. L., 1241
Callahan, F. E., 181
Campbell, J. B., 455, 1144
Campbell, J. F., 353
Campos, R., 1781
Carlton, C. E., 1420
Carroll, S. C., 382
Casey, M. L., 100
Catangui, M. A., 1144
Cate, J. R., 369, 421
Chagnon, M., 416
Chalfant, R. B., 123
Chamberlin, J. R., 40
Chan, Jr., H. T., 301, 1162
Chapman, R. K., 1522
Chilcutt, C. F., 635
Chinchilla, C. M., 1381
Chiu, S.-F., 706
Christie, R. D., 1223
Cilek, J. E., 444, 1303
Clancy, K. M., 93
Cochran, D. G., 1639
Cooley, R. J., 697
Cockfield, S. D., 117
Coffelt, J. A., 933
Coffelt, M. A., 1446, 1512
Cohen, D. L., 1185
Colletto, D., 557
Collins, P. J., 239
Coop, L. B., 891, 906
Corcoran, R. J., 66
Costa, H. S., 652
Croft, B. A., 891., 906
Culbreath, A. K., 40
Cuperus, G. W., 1590
Curtis, C. E., 70, 1761
Cushing, N. L., 11, 635
Czapla, T. H., 945

D
Daane, K. M., 1679
Danka, R. G., 131
Davis, D. P., 164
Davis, F., 394, 1852
Davis, T. W., 1178
DeFoliart, G. R., 1424
de Groot, P., 1171
De Lima, C.P.F., 798
de Oliveira, D., 416
Deaton, W. R., 181
Dekeyser, M. A., 1339
Demski, J. W., 40
Dennehy, T. J., 11, 1502
Devilbiss, E. D., 821
Dines, J. L., 557
Dlott, J. W., 1679
Doederlein, T. A., 1706
Donovan, W. P., 330
Dougherty, E. M., 1185
Dowdy, A. K., 1241
Downer, R.G.H., 1339
Drapek, R. J., 906
Drees, B. M., 1250
Drummond, F. A., 1793
Du Toit, F., 544
Dubois, N. R., 26, 730
Dunbar, S. J., 1631
Duque, M. C., 1820
Dusch, M., 1781

E
Echtenkamp, G., 1348
Eckel, R.V.W., 1534
Edwards, J. P., 436
Eigenbrode, S. D., 11, 697
Ellenberger, J. M., 777
Ellsbury, M., 1852
Enfield, F. D., 1693
Erb, W. A., 100

F
Fan, Y., 1574
Fannah, S. J., 549
Feng, M.-G., 427
Fergusson-Kolmes, L. A., 1502
Ferrari, J. A., 1645
Ferro, D. N., 511
Finson, N., 635, 1035
Flickinger, N. J., 100
Flinn, P. W., 1271
Flint, H. M., 1857
Follett, P. A., 1324
Forer, G., 205
Forey, D. E., 1109
Foster, R. N., 557
Frank, C. L., 465
Frank, W. A., 899
Fukada, M. T., 1416
Furutani, S. C., 1416

G
Gardner, W. A, 1714
Gary, N. E., 715
Gaston, L. K., 1781
Gaugler, R., 353, 1055
Gaylor, M. J., 1824
Georghiou, G. P., 1645
Georgis, R., 1348
Gilbertz, D. A., 517
Gingras, J., 416
Girma, M., 594
Glofcheskie, B. D., 1686
Godfrey, L. D., 1546, 1557
Gold, R. E., 61
Gonzalez, L. M., 1381
Got, B., 747
Gould, F., 1324
Grace, J. K., 761
Graf, G. T., 586
Grafius, E., 529, 995, 1196, 1203
Grafius, E. J., 226
Graves, J. B., 294
Gray, M. E., 1473

Grigarick, A. A., 149, 1376
Groden, E., 1574, 1793
Groeters, F. R., 1035
Gudmestad, N. C., 1223
Guertin, C., 1490
Gunning, R. V., 234
Gupton, C. L., 131
Guzman-Novoa, E., 715

H
Habibi, J., 945
Hagley, E.A.C., 1078
Hagstrum, D. W., 1271
Hall, F. R., 536
Hall, M. R., 123
Hallman, G. J., 793
Handley, D. T., 505
Hanula, J. L., 340
Hara, A. H., 1167, 1483
Harbo, J. R., 1672
Hardee, D. D., 1026
Harper, J. K., 1250
Harris, A. M., 798
Harrison, J. A., 957
Harrison, R. D., 1714
Harvey, T. L., 594
Hata, T. Y., 1167, 1483
Hatchett, J. H., 76, 803
Haynes, J. W., 310
Heard, T. A., 66
Heath, R. R., 1109
Heather, N. W., 66
Heller, L., 1584
Hellman, J. L., 1266
Helson, B. V., 1171
Hemingway, J., 1623, 1631
Hesler, L. S., 149
Hill, B. D., 1259
Hoelmer, K. A., 322
Hogg, D. B., 1424
Hogsette, J. A., 450
Holliday, N. J., 1527
Hollingworth, R. M., 226, 673
Hood, C. W., 798
Horowitz, A. R., 205
Houseman, J. G., 1049
Houston, R. D., 557
Hoy, M. A., 195
Hsu, C.-L., 1157
Hu, B.K.S., 1167, 1483
Hu, M.-Y., 706
Hu, W. J., 1287
Hull, L. A., 684

I
Idris, A. B., 529, 1196, 1203
Isenhour, D. J., 939, 1291
Ishaaya, I., 205
Isman, M. B., 864

J
Jackson, C. L., 557
Jacobs, R. D., 450
James, R. R., 334
Jang, E. B., 301
Jansson, R. K., 722, 1055, 1109
Jayas, D. S., 1846
Jech, L. E., 557
Jenkins, J. N., 181, 1014
Jenner, K. E., 1761
Jensen, K. B., 1609
Jerie, P. H., 486
Jessup, A. J., 798
Jiron, L. F., 1381
Johnson, M. W., 635, 652, 1035
Johnson, T. B., 330
Johnston, L. J., 1738
Jones, G. D., 1429
Jones, S. K., 1297
Jones, V. P., 1

K
Kamble, S. T., 1009
Kaneko, R. T., 1483
Karunaratne, K. M., 258
Kays, S. J., 957
Kazmierczak, Jr., R. F., 684
Kelley, J.G.W., 838
Kelly, L. E., 1001
Kence, A., 189
Kence, M., 189
Kennedy, G. G., 1324
Kerns, D. L., 1824
Kharboutli, M. S., 1802
Khoo, J.G.I., 1308
Kinard, D. J., 1714
Kindler, S. D., 1609
Kint, S., 1700
Kirkland, R., 314
Kitprasert, C., 712
Kitto, G. B., 1584
Klocke, J. A., 706
Klotz, J. H., 1730
Knapp, F. W., 444, 1303
Knight, A. L., 684
Knowles, C. O., 1651
Koehler, K. J., 246
Koehler, P. G., 785, 1458
Koerber, T. W., 465
Kok-Yokomi, M. L., 1786
Kolodny-Hirsch, D. M., 314, 815
Krafsur, E. S., 246
Kreitman, M., 1030
Kubo, I., 706
Kumar, H., 739, 886, 962, 969
Kwon, M., 1334

L
Labatte, J.-M., 747
Lambkin, T. M., 239
Lampert, E. P., 1534
Lang, G. A., 131
Laster, M. L., 360
Latheef, M. A., 407
Laurich, M., 1393
Lavy, T. L., 860
Lecrone, S. H., 1055, 1109
Lee, F. N., 549
Leonard, B. R., 294
Leonhardt, B. A., 86, 821
Levine, E., 924, 1664
Liebhold, A. M., 838
Liebman, M., 1574
Lighthart, B., 334
Lindquist, R. K., 100
Lindsay, B. E., 828
Lingren, P. D., 1429
Liquido, N. J., 1700
Liu, S., 401
Lopez, Jr., J. D., 407
Lopez, V. F., 607
Louie, R., 1393, 1579
Lowery, D. T., 864
Lynch, R. E., 164
Lynn, D. E., 1185
Lysyk, T. J., 1746

M
Mable, B. K., 275
Mack, T. P., 164, 1802
Mackey, B. E., 70, 1773
Mahr, D. L., 117
Mahr, S.E.R., 11, 1522
Maier, C. T., 1069
Mankin, R. W., 933
Mannion, C. M., 722
Manweiler, S. A., 777
Marshall, D. B., 854
Martin, J. M., 1094
Mason, L. J., 1109
Mastro, V. C., 821, 1104
Matlock, Jr., R. B., 1359
McCarty, Jr., J. C., 181
McDonald, P. T., 1339
McElfresh, J. S., 1399
McGovern, W. L., 1693
McKenzie, C. L., 1040
McKenzie, J. A., 1001
McLeod, P. J., 860
McNab, S. C., 486
McNew, R. W., 1241
Meeks, W. K., 557
Meinke, L. J., 1546, 1557
Mejia, O. I., 1820
Meola, R. W., 1754
Mexzon, R., 1381
Michels, Jr., G. J., 363
Mierzejewski, K., 26
Millar, J. G., 1399
Miller, D. L., 226
Miller, G. T., 76, 803, 1766
Miller, J. C., 334, 809
Miller, J. D., 828
Miller, J. R., 226
Miller, R. W., 450
Mink, J. S., 265
Mitchell, S., 1157
Mjelde, J. W., 1250
Moellenbeck, D. J., 614
Moldenke, A. F., 809
Monro, A. G., 1623, 1631
Montandon, R., 899
Moon, R. D., 1738
Morgan, B., 1381
Mori, S., 845
Mornhingweg, D. W., 1603
Morse, J. G., 1645
Morse, J. P., 879
Moss, J. I., 1162
Mowry, T. M., 1440
Mueller, R. K., 1720
Muir, W. E., 1846
Mulrooney, J. E., 1014

Murray, K. D., 1793
Mushobozy, D. K., 1835
Mutschler, M. A., 34

N
Ng, S. S., 394
Nakayama, T. R., 1416
Naranjo, S. E., 1094
Ndayiragije, P., 1599
Noetzel, D. M., 1738
Norris, D. M., 401
North, D. T., 1693
Norton, G. W., 684
Nowierski, R. M., 427
Nyangiri, E.M.O., 739

O
Oehlschlager, A. C., 1381
Oetting, R. D., 517
Ogg, C. L., 61
Oloumi-Sadeghi, H., 1473
Olsen, C. E., 137
Olthof, T.H.A., 1078
Omer, A. D., 652
Ono, M., 1317
Oraze, M. J., 149
Osborne, L. S., 322
Overhulser, D. L., 470

P
Palrang, A. T., 149, 1376
Panizzi, A. R., 1088
Pantoja, A., 1820
Parajulee, M. N., 1424
Parker, B. L., 46
Parker, F. D., 1359
Parks, N. J., 1857
Parrott, W. L., 181, 1014
Patterson, R. S., 20, 785, 1458
Pedersen, J. R., 1590
Pederson, G., 1852
Pendleton, M., 1429
Pendley, A. F., 494
Penman, D. R., 1405
Pereira, C. J., 1266
Pereira, R. M., 348, 1083
Perez, C., 697
Pernal, S. F., 1527
Petacchi, R., 1019
Pickel, C., 1191
Pienkowski, R. L., 1151
Pierce, Jr., H. D., 1835
Pike, K. S., 137, 586
Plapp, Jr., F. W., 258
Podgwaite, J. D., 730, 1185
Pollak, L. M., 952
Pollard, J. E., 505
Popham, T. W., 544
Porter, D. R., 1603
Porter, S. D., 1344
Potter, D. A., 871
Powell, J. E., 360
Prabhakaran, S. K., 1009
Pree, D. J., 275, 854
Preisler, H. K., 697
Proshold, F. I., 1104
Puclik, M. J., 557
Pulvirenti, C., 239
Puterka, G. J., 1297

Q
Quaglia, F., 1019
Queener, R. L., 557
Quisenberry, S. S., 614

R
Raffa, K. F., 475
Rajotte, E. G., 684
Ramakers, P.M.J., 1405
Rappaport, N., 845
Raulston, J. R., 1429
Reagan, T. E., 929
Reardon, R. C., 26, 730
Reed, C., 1590
Reed, G. L., 586
Reese, J. C., 394
Reid, B. L., 1730
Reierson, D. A., 1124
Ridgway, R. L., 86, 1185, 1497
Riedl, H., 1
Rieske, L. K., 475
Ring, D. R., 1228, 1811
Rister, M. E., 1250
Robbins, W. P., 1720
Robertson, J. L., 697
Robinson, J., 602
Robison-Cox, J. F., 246
Rock, G. C., 213, 660, 667
Rodriguez, A. E., 34
Rodriguez, G. D., 557
Roland, T. J., 557
Roques, A., 845
Rosales, A. L., 246
Ross, M. H., 767
Rossi, E., 1019
Rossignol, P. A., 712
Royce, L. A., 712
Rummel, D. R., 382
Rupar, M. J., 330
Russell, W. R., 860
Russo, J. M., 838
Rust, M. K., 53, 1124, 1131

S
Sadof, C. S., 1516
Saito, K., 213
Salazar, A., 1820
Sances, F. V., 1781
Sandquist, R. E., 465, 470
Schaalje, G. B., 1259
Scharen, A. L., 427
Schatzki, T. F., 1584
Scheffrahn, R. H., 772, 1453, 1720
Schneider, F., 294
Schultz, J. T., 1223
Schultz, P. B., 1446, 1512
Schuster, D. J., 523
Schwartz, M. D., 110
Scott, A. K., 557
Sedlacek, J. D., 174
Segarra, E., 382
Seligman, I. M., 205
Selvan, S., 353
Senanayake, D. G., 1527
Severson, R. F., 957
Shapiro, M., 1185
Sharma, H. C., 607
Sharp, J. L., 462
Shaver, T. N., 377
Shelton, A. M., 11, 697
Sherwood, D. R., 1664
Short, J. E., 436
Shuman, D., 933
Siegfried, B. D., 1317
Sims, S. R., 989
Sinha, R. N., 1846
Sites, R. W., 1706
Skinner, M., 46
Skoda, S. R., 455
Slaney, A. C., 330
Slocombe, A., 511
Sloggett, R. F., 798
Slosser, J. E., 899, 1213
Small, G. J., 1623, 1631
Smith, J. L., 53, 1131
Smith, J. W., 310, 1693
Smitley, D. R., 1178
Snodgrass, G. L., 1116
Snook, M. E., 939
Soderstrom, E. L., 1773
Spangler, S. M., 110
Sparks, T. C., 294
Spicer, P. G., 871
Spollen, K., 195
Springer, T. L., 1420, 1609
Stapp, B. R., 1857
Steffey, K. L., 1473
Stein, J. D., 465, 470
Stimac, J. L., 348, 523, 1083
Stone, T. B., 989
Storch, R. H., 1793
Stringer, B. A., 712
Stritzke, J. F., 1241
Strong, C. A., 785, 1458
Su, N.-Y., 772, 1453, 1720
Suckling, D. M., 1308
Sugathapala, P. M., 1793
Summy, K. R., 369, 421
Sumner, H. R., 123
Sun, Y., 1645
Surgeoner, G. A., 1686

T
Tabashnik, B. E., 635, 652, 1035
Talekar, N. S., 981, 1287
Tamashiro, M., 761
Tang, J. D., 697
Tatman, K. M., 1497
Taylor, C. E., 1019
Taylor, M., 1030
Tebbets, J. S., 70, 1761
Tenbringk, V. L., 1167, 1483
Tengkano, W., 981
Teranishi, R., 1700
Terry, L. A., 871
Teulon, D.A.J., 1405
Thacker, J.R.M., 536
Thie, N.M.R., 1049
Thomas, D. B., 1464
Thomas, G. D., 455, 1144
Thomas, J. D., 1236
Thorpe, K. W., 86, 1497

Tillman, P. G., 360
Tingey, W. M., 34
Todd, J. W., 40
Tollner, W. E., 1714
Toscano, N. C., 1781
Treacy, M. F., 1811
Trumble, J. T., 879
Tugwell, N. P., 549
Tuttle, A. F., 511

U
Ullman, D. E., 652

V
Vail, K. M., 1136
Vail, P. V., 70, 1761
Valles, S. M., 785
Varela, L. G., 1
Vargas, R. I., 1157
Velazquez, J. G., 1820
Venables, L., 1185, 1497
Vencill, A. M., 283, 289
Vick, K. W., 933
Villavaso, E. J., 1693

W
Walgenbach, D. D., 557
Wall, M. L., 1651
Walmsley, M. L., 1811
Walsh, D. B., 1191
Walsh, W. A., 1157
Warkentin, D. L., 314
Way, M. O., 1250
Webb, R. E., 815, 1185, 1497
Webb, S. E., 1786
Webster, J. A., 544, 974, 1603
Weidemann, G. J., 549
Welch, J. B., 1359
Welch, N. C., 1191
Welter, S. C., 1
Wernz, J. G., 809
Westbrook, J., 1429
Weston, P. A., 174
Whalon, M. E., 226
White, N.D.G., 1846
Wierenga, J. M., 673
Wilde, G. E., 159, 594
Williams, D. F., 1136
Wilsey, W. T., 697
Wilson, D. D., 957
Wilson, D. F., 1857
Wilson, E. K., 1584
Wilson, L. J., 566
Wilson, R. L., 952
Wilson, T. G., 645
Wiseman, B. R., 939, 1291
Witcosky, J., 730
Witkowski, J. F., 1348
Witz, J. A., 407
Wood, L. A., 348, 1083
Wright, J. E., 1355
Wright, R. J., 1348, 1546, 1557
Wyman, J. A., 11, 1522

X
Xu, G., 1656
Xu, M., 401

Y
Yamamoto, R. T., 761
Yates, J. R., 761
Yokomi, R. K., 322
Yokota, G. Y., 1679
Yokoyama, V. Y., 76, 803, 1766
Yoo, J.-K., 1334
Young, S. Y., 735, 1064
Yu, S. J., 680
Yuan, Q.-C., 511

Z
Zalom, F. G., 1191
Zawadzki, J., 1030
Zehnder, G. W., 283, 289
Zeichner, B. C., 1124
Zeng, F., 1852
Zeng, Z., 427
Zhao, J. Z., 995
Ziegler, K. E., 952
Zoebisch, T. G., 523

CUMULATIVE SUBJECT INDEX
Journal of Economic Entomology
Volume 86, 1993

3-epicaryoptin, larval growth, 1599
Ostrinia, 1599

A
abamectin, bait station, 61
Blattella, germanica, 61
abmamectin, *Blattella germanica*, 767
insecticidal bait, 767
Acari, permethrin, 536
twospotted spider mite, 536
acephate, *Helicoverpa zea*, 860
snap bean, 860
acetylcholinesterase, Colorado potato beetle, 673
esterase, 1645, 1656
Lygus hesperus, 1656
Musca domestica, 258
Scirtothrips citri, 1645
target-site resistance, 673
thiodicarb resistance, 258
Acheta domesticus, human food, 1424
mass production, 1424
Acrididae, bran bait, 557
carbaryl, 557
acylsugar, aphids, 34
feeding deterrence, 34
Acyrthosiphon pisum, life table, 1852
plant resistance, 1852
adjuvant, aggregation pheromone, 1835
Cucujidae, 1835
Adoretus sinicus, nonstructural carbohydrate, 1416
preferential feeding, 1416
aesthetic injury level, *Anisota senatoria*, 1512
defoliation, 1512
eaesthetics, economic injury level, 1516
Tetranychus urticae, 1516
age-structure, *Haematobia irritans*, 246
insecticide resistance, 246
aggregation pheromone, adjuvant, 1835
Cucujidae, 1835
alfalfa, slugs, 917
trap, 917
ammonia, *Ceratitis capitata*, 1700
trimedlure, 1700
Anarsia lineatella, artificial diet, 1399
biological control, 1679
insecticide treatment, 1679
rearing, 1399
Anastrepha suspensa, cold storage, 793
hot-water immersion, 793
hyperthermia, 1162
thermal death, 1162
Anisota senatoria, aesthetic injury level, 1512
defoliation, 1512
paclobutrazol, 1446
tree growth regulator, 1446
ant mortality, *Beauveria bassiana*, 1083
Solenopsis invicta, 1083
Anthonomus grandis grandis, *Beauveria bassiana*, 1355
biological control, 1355
diapause, 382
feeding, 310
habitat, 382
insect growth regulator, 310
Anthonomus grandis, cotton, 369 421
overwintering, 421
reproductive diapause, 369
antibiosis, antixenosis, 602
bioassay, 1291
Diuraphis noxia, 602
Helicoverpa zea, 1291
host-plant resistance, 981
Ophiomyis phaseoli, 981
antifeedant, *Bacillus thuringiensis* endotoxin, 1793
Leptinotarsa decemlineata, 1793
antixenosis, antibiosis, 602
Diuraphis noxia, 602
aphid, acylsugar, 34
feeding deterrence, 34
aphid damage, plant resistance, 974
Russian wheat aphid, 974
Aphididae, *Azadirachta indica*, 864
control, 864
endophyte, 1279
grass, 1279
Uroleucon pseudambrosiae, 1786
watermelon mosaic virus 2, 1786
Aphis gossypii, insecticide, 1026
resistance management, 1026
Aphytis melinus, citrus IPM, 195
pesticide resistance, 195
Apis mellifera L., foraging behavior, 715
genotypic variability, 715
density, 1672
pollination, 131, 416
space, 1672
strawberry, 416
Vaccinium, 131
Argyrotaenia velutinana (Walker), azinphosmethyl, 667
field bioassay, 667
Arthropoda, centipedegrass, 494
nontarget effect, 494
rice field management, 149
species richness, 149
artificial diet, *Anarsia lineatella*, 1399
rearing, 1399
Asononychus godmani, citrus, 1773
heat, 1773
aster yellow, *Macrosteles quadrilineatus*, 1522
mycoplasma, 1522
atmospheric pressure, pressure chamber, 1393
virus transmission, 1393
Azadirachta indica, Aphididae, 864
control, 864
azinphosmethyl, *Argyrotaenia velutinana* (Walker), 667
field bioassay, 667
esterase, 213
Platynota idaeusalis (Walker), 213

B
Bacillus thuringiensis, *Lymantria dispar*, 1178
population suppression, 1178
baculovirus, 314
biological control, 226
cinnabar moth, 334
Diabrotica spp., 330
diagnostic concentration, 635
diamondback moth, 697
endotoxin, 989
Gossypium hirsutum, 735
Gypchek, 730
gypsy moth, 730
Heliothis virescens, 182, 735
insecticide resistance, 635
Leptinotarsa decemlineata, 226, 330
Lymantria dispar, 26
mating success, 1035
pest control, 26
Plutella zylostella, 1035
resistance, 697, 989
Spodoptera exigua, 314
transgenic cotton, 181
Tyria jacobaeae, 334
Gossypium hirsutum, 1064
noctuidae, 1064
antifeedant, 1793
Leptinotarsa decemlineata, 1793
bacterial ring rot, *Epitrix cucumeris*, 1223
transmission, 1223
Bactrocera cucumis, quarantine treatment, 66
vapor heat, 66
Bactrocera latifrons, mass-rearing technique, 1157
sterile insect technique, 1157
Bactrocera tryoni, Ceratitis capitata, 798
quarantine treatment, 798
baculovirus, *Bacillus thuringiensis*, 314
Spodoptera exigua, 314
bait station, abamectin, 61
Blattella germanica, 61
barley, *Diuraphis noxia*, 1603
plant resistance, 1603
barrier band, *Lymantria dispar*, 1497

mechanical control, 1497
bean fly, host-plant resistance, 1287
Vigna glabrescens, 1287
Beauveria bassiana, ant mortality, 1083
Anthonomus grandis grandis, 1355
biological control, 1355
fire ant, 348
Solenopsis invicta, 348, 1083
beetle, cocoa, 1151
dichlorvos, 1151
Bemisia tabaci, chlorosis, 517
Delphastus pusillus, 322
Gossypium, 1857
host plant, 652
host-plant resistance, 1857
insecticide resistance, 652
photosynthesis, 517
predation, 322
benzoylphenylureas, host plant, 809
Lymantria dispar, 809
bioassay, antibiosis, 1291
Helicoverpa zea, 1291
insecticide, 1171
bioassay, *Pissodes strobi*, 1171
Helicoverpa spp., 234
larvae, 234
biocontrol, economics, 879
integrated pest management, 879
biogenic amine, formamidine mode of action, 294
Heliothis virescens, 294
biological control, *Anarsia lineatella*,
Anthonomus grandis grandis, 1355
Bacillus thuringiensis, 226
Beauveria bassiana, 1355
corn rootworm, 1348
cotton aphid, 1824
Cylas formicarius, 1055
entomogenous nematode, 340
entomopathogenic nematode, 1055, 1078, 1348
insecticide, 1824
insecticide treatment, 1679
Leptinotarsa decemlineata, 226
Otiorhynchus sulcatus, 340
parasitism, 1069
Phyllonorycter blancardella, 1069
plum curculio, 1078
biotechnology, *Empoasca fabae*, 945
plant lectin, 945
biotype, grape phylloxera, 1502
plant resistance, 1502
Blatta orientalis, cockroach, 436
juvenile hormone analogue, 436
Blattella germanica, borate repellency, 1458
borate toxicity, 1458
abamectin, 61, 767
bait station, 61
choice test, 1124
discontinued selection, 1639
Ebeling choice box, 777
esterase, 1009
insecticidal bait, 767
insecticide age-specificity, 785
insecticide resistance, 785, 1124
pyrethroid, 1631
pyrethroid resistance, 20, 1639
resistance, 1009, 1623, 1631
resistance factor, 20
resistance mechanism, 1623
Steinernema carpocapsae, 777
boll weevil, cotton pest, 1213
planting date, 1213
sterile male, 1693
sterility, 1693
borate repellency, *Blattella germanica*, 1458
borate toxicity, 1458
borate toxicity, *Blattella germanica*, 1458
borate repellency, 1458
botanical insecticide, *Rhododendron molle*, 706
rhodojaponin III, 706
Bradysia spp., forage legume, 1420
pasture persistence, 1420
Brahman heifer, *Stomoxys calcitrans*, 1144
tolerance, 1144
bran bait, Acrididae, 557
carbaryl, 557
Busseola fusca, Chilo partellus, 962
plant resistance, 962

C

Cacopsylla pyricola, oviposition, 1297
pear, 1297
Calocoris angustatus, host resistance, 607
sorghum, 607
Camponotus pennsylvanicus, delayed-action toxicity, 1730
toxic bait, 1730
Carabidae, *Poa pratensis* L., 871
Staphylinidae, 871
carbaryl, Acrididae, 557
bran bait, 557
carbohydrate, *Schizaphis graminum*, 363
Sorghum bicolor, 363
carbon dioxide, *Cryptolestes ferrugineus*, 1846
wheat, 1846
cattle dung pat, chemical control, 1738
Haematobia irritans, 1738
centipedegrass, Arthropoda, 494
nontarget effect, 494
Ceratitis capitata, ammonia, 1700
Bactrocera tryoni, 798
mass rearing, 301
pH, 301
quarantine treatment, 798
trimedlure, 1700
chemical control, cattle dung pat, 1738
Haematobia irritans, 1738
Chilo partellus, *Busseola fusca*, 962
plant resistance, 962
resistance, 739, 886, 969
Zea mays, 739, 886, 969
chlorosis, *Bemisia tabaci*, 517
photosynthesis, 517
choice test, *Blattella germanica*, 1124
insecticide resistance, 1124
Choristoneura occidentalis, Douglas-fir, 93
needle anatomy, 93
cinnabar moth, *Bacillus thuringiensis*, 334
Tyria jacobaeae, 334
citrus, *Asononychus godmani*, 1773
heat, 1773
citrus IPM, *Aphytis melinus*, 195
pesticide resistance, 195
coated twine, *Lymantria dispar*, 821
sex pheromone, 821
Cochliomyia hominivorax, egg mass, 1359
laboratory adaptation, 1464
oviposition, 1464
sentinel animal, 1359
cockroach, *Blatta orientalis*, 436
juvenile hormone analogue, 436
cocoa, beetle, 1151
dichlorvos, 1151
cold storage, *Anastrepha suspensa*, 793
hot-water immersion, 793
Coleoptera, insecticide resistance, 239
stored products, 239
Colorado potato beetle, acetylcholinesterase, 673
insecticide resistance, 289
Leptinotarsa decemlineata, 511
residue activity of insecticide, 511
target-site resistance, 673
within-field variation, 289
cone and seed insects, seed orchard, 465
tree implant, 465
Conoderus spp., soil insecticide, 123
sweet potato, 123
Contarinia oregonensis, *Megastigmus spermotrophus*, 470

Oligonychus ununguis, 470
contingent valuation method, gypsy moth control, 828
Lymantria dispar (L.), 828
control, Aphididae, 864
Azadirachta indica, 864
Diuraphis noxia, 1259
insecticide, 1259
Coptotermes formosanus, insect growth regulator, 1453
organochlorine pesticide, 761
Reticulitermes flavipes, 772, 1453
soil termiticide, 772
termite control, 761
corn, *Diabrotica virgifera virgifera*, 1546
photosynthesis, 1546
corn rootworm, biological control, 1348
entomopathogenic nematode, 1348
corn silage, economic injury level, 1266
Spodoptera frugiperda, 1266
corn silk, *Helicoverpa zea*, 939
maysin, 939
cotton, *Anthonomus grandis*, 369
Anthonomus grandis, 421
economic injury level, 566, 1811
overwintering, 421
Pseudatomoscelis seriatus, 1811
reproductive diapause, 369
sampling, 1116
tarnished plant bug, 1116
Tetranychus urticae, 566
cotton aphid, biological control, 1824
insecticide, 1824
cotton pest, boll weevil, 1213
planting date, 1213
cranberry, egg development, 117
Rhopobota naevana, 117
crop loss, economic threshold, 891
grasshopper, 891
Helicoverpa zea, 906
simulation, 906
Cryptolestes ferrugineus, carbon dioxide, 1846
wheat, 1846
Cucujidae, adjuvant, 1835
aggregation pheromone, 1835
cultivar resistance, *Diatraea saccharalis*, 929
predation, 929
cultural control, harvest management, 1241
Hypera postica, 1241
Curculio caryae, larval burrowing, 1714
X-ray CT, 1714
Cydia pomonella, export, 1761
infestation level, 70
organophosphate resistance, 660
pheromone trap, 1
quarantine, 1761
quarantine treatment, 70
resistance detection, 660
response variation, 1
Cylas formicarius, monitoring, 1109
sex pheromone, 1109
Cylas formicarius, biological control, 1055
entomopathogenic nematode, 722, 1055
mortality, 722
cyromazine resistance, *Drosophila melanogaster*, 1001
mutagenesis, 1001

D

damage function, *Oebalus pugnax*, 1250
rice, 1250
defoliation, aesthetic injury level, 1512
Anisota senatoria, 1512
delayed-action toxicity, *Camponotus pennsylvanicus*, 1730
toxic bait, 1730
Delia antiqua, oviposition, 1440
trap crop, 1440
Delphastus pusillus, Bemisia tabaci, 322
predation, 322
deltamethrin, *Myzus persicae*, 1019
tomato, 1019
density, *Apis mellifera*, 1672
space, 1672
detection, inspection, 1720
sound, 933
stored products, 933
termite, 1720
development, endoparasitoid, 360
Helicoverpa spp., 360
Diabrotica virgifera virgifera, corn, 1546
mating, 1664
ovarian development, 1664
photosynthesis, 1546
plant response, 1557
root injury, 1557
Diabrotica spp., *Bacillus thuringiensis*, 330
insecticide, 1473
Leptinotarsa decemlineata, 330
root injury, 1473
Diadegma insulare, diamondback moth, 1196, 1203
parasitism, 1196
pesticide, 529, 1203
Plutella xylostella, 529
diagnostic concentration, *Bacillus thuringiensis*, 635
insecticide resistance, 635
diamondback moth, *Bacillus thuringiensis*, 697
Diadegma insulare, 1196, 1203
insecticide resistance, 11
parasitism, 1196
pesticide, 1203
Plutella xylostella, 11
resistance, 697
diapause, *Anthonomus grandis grandis*, 382
habitat, 382
Diatraea grandiosella, food consumption and utilization in, 394
Spodoptera frugiperda, 394
Diatraea saccharalis, cultivar resistance, 929
predation, 929
diazinon, *Haematobia irritans*, 1303
permethrin, 1303
dichlorvos, beetle, 1151
cocoa, 1151
dicofol, inheritance, 275
Panonychus ulmi, 275
digestion, protease, 1049
stored-maize beetle, 1049
dihydrooxadiazines, insecticide, 1339
Tetranychus urticae, 1339
Diptera, *Musca domestica*, 1686
Muscovy duck, 1686
discontinued selection, *Blattella germanica*, 1639
pyrethroid resistance, 1639
distribution model, *Ostrinia nubilalis*, 747
Zea mays, 747
distribution pattern, *Hylobius*, 475
Pachylobius, 475
Diuraphis noxia, antibiosis, 602
antixenosis, 602
barley, 1603
control, 1259
economic injury level, 594
fecundity, 544
fungicide, 586
imidacloprid, 586
insecticide, 1259
plant resistance, 1603
resistance, 1609
sampling, 427
small grains, 427
temperature, 544
Triticeae, 1609
wheat, 594
Douglas-fir, *Choristoneura occidentalis*, 93
needle anatomy, 93
drainage, *Hydrellia wirthi*, 1820
seeding rate, 1820
Drosophila melanogaster, cyromazine resistance, 1001
mutagenesis, 1001

E

Ebeling choice box, *Blattella germanica*, 777

Steinernema carpocapsae, 777
economic injury level, aesthetics, 1516
corn silage, 1266
cotton, 566, 1811
Diuraphis noxia, 594
Epilachna varivestis, 1574
Helicoverpa zea, 1228
Heliothis virescens, 1228
Phaseolus vulgaris, 1574
Pseudatomoscelis seriatus, 1811
Spodoptera frugiperda, 1266
Tetranychus urticae, 566, 1516
wheat, 594
economic threshold, crop loss, 891
grasshopper, 891
economics, biocontrol, 879
integrated pest management, 879
regulation, 684
resistance, 684
egg development, cranberry, 117
Rhopobota naevana, 117
egg mass, *Cochliomyia hominivorax*, 1359
sentinel animal, 1359
Elasmopalpus lignosellus, integrated pest management, 164
soil insect, 164
emergence trap, monitoring thrips, 46
Taeniothrips inconsequens, 46
Empoasca fabae, biotechnology, 945
plant lectin, 945
endoparasitoid, development, 360
Helicoverpa spp., 360
endophyte, Aphididae, 1279
grass, 1279
grass, 621
Spodoptera, 621
endotoxin, *Bacillus thuringiensis*, 989
resistance, 989
entomogenous nematode, biological control, 340
Otiorhynchus sulcatus, 340
entomopathogenic nematode, biological control, 1078
Cylas formicarius, 722
Japanese beetle, 353
mortality, 722
plum curculio, 1078
Xenorhabdus, 353
entomopathogenic nematode, biological control, 1348
biological control, 1055
corn rootworm, 1348
Cylas formicarius, 1055
Eoreuma loftini, mating disruption, 377
pheromone, 377
Epilachna varivestis, economic injury level, 1574
Phaseolus vulgaris, 1574
Epiphyas postvittana, Hardy-Weinberg, 1308
resistance, 1308
Epitrix cucumeris, bacterial ring rot, 1223
Leptinotarsa decemlineata, 1527
transmission, 1223
yield response, 1527
esterase, acetylcholinesterase, 1645, 1656
Blattella germanica, 1009
Lygus hesperus, 1656
resistance, 1009
Scirtothrips citri, 1645
esterase, azinphosmethyl resistance, 213
Platynota idaeusalis (Walker), 213
eupyrene sperm, mating behavior, 1104
suppression, 1104
European red mite, propargite, 854
residue, 854
Euxoa auxiliaris, wheat, 159
yield impact, 159
evolution of resistance, male release, 189
Musca domestica, 189
exotic pest, multiple queens, 1344
polygyny, 1344
export, *Cydia pomonella*, 1761
quarantine, 1761

F

farm-stored wheat, grain protectant, 1590
stored-grain insect, 1590
fecundity, *Diuraphis noxia*, 544
temperature, 544
feeding, *Anthonomus grandis grandis*, 310
insect growth regulator, 310
feeding activity, *Pseudoplusia includens*, 265
soybean, 265
feeding behavior, plant extract, 1490
spruce budworm, 1490
feeding deterrence, acylsugar, 34
aphids, 34
feeding stimulant, host chemistry, 957
sweet potato, 957
fenoxycarb, IGR, 1136
Monomorium pharaonis, 1136
field bioassay, *Argyrotaenia velutinana* (Walker), 667
azinphosmethyl, 667
fire ant, *Beauveria bassiana*, 348
Solenopsis invicta, 348
flight behavior, *Lissorhoptrus oryzophilus*, 1376
rice, 1376
flufenoxuron, *Panonychus ulmi*, 1334
Tetranychus urticae, 1334
fly pest, immature development, 455
Musca domestica, 455
food consumption and utilization indices, *Diatraea grandiosella*, 394
Spodoptera frugiperda, 394
forage legume, *Bradysia* spp., 1420
pasture persistence, 1420
foraging behavior, *Apis melifera* L., 715
genotypic variability, 715
formamidine mode of action, biogenic amine, 294
Heliothis virescens, 294
Fragaria x ananassa, fruit development, 505
Lygus lineolaris, 505
Frankliniella occidentalis, orchid, 1483
Thrips palmi, 1483
Frankliniella spp., tomato spotted wilt virus, 40
winter, 40
fruit development, *Fragaria x ananassa*, 505
Lygus lineolaris, 505
fruit set, pear, 486
Tetranychus urticae, 486
fungi, *Oebalus pugnax*, 549
rice, 549
fungicide, *Diuraphis noxia*, 586
imidacloprid, 586

G

genetic change, insecticide resistance, 645
transposable element, 645
genetics, insecticide resistance, 680
Plutella xylostella, 680
genome size, *Heliothis*, 1030
resistance, 1030
genotypic variability, *Apis melifera* L., 715
foraging behavior, 715
Glycine max, inducible resistance, 401
Pseudoplusia includens, 401
Gossypium hirsutum, *Bacillus thuringiensis*, 735
Bacillus thuringiensis activity, 1064
Heliothis virescens, 735
noctuidae, 1064
Gossypium, *Bemisia tabaci*, 1857
host-plant resistance, 1857
gossypol, *Heliothis*, 1014
pyrethroid resistance, 1014
grain aphids, identification, 137
immature, 137
grain protectant, farm-stored wheat, 1590
stored-grain insect, 1590
Graminella nigrifrons, host-

resistance evaluation, 1579
virus vector, 1579
grape phylloxera, biotype, 1502
plant resistance, 1502
grass, Aphididae, 1279
endophyte, 621
endophyte, 1279
Spodoptera, 621
grasshopper, crop loss, 891
economic threshold, 891
growth, permethrin, 1236
Pseudoplusia includens, 1236
Gypchek, *Bacillus thuringiensis*, 730
gypsy moth, 730
Lymantria dispar, 1185
nuclear polyhedrosis virus, 1185
gypsy moth, *Bacillus thuringiensis*, 730
Gypchek, 730
Lymantria dispar, 838
temperature, 838
gypsy moth control, contingent valuation method, 828
Lymantria dispar (L.), 828

H
habitat, *Anthonomus grandis grandis*, 382
diapause, 382
Haematobia irritans, age-structure, 246
cattle dung pat, 1738
chemical control, 1738
diazinon, 1303
insect growth regualtor, 1754
insecticide, 1040
insecticide resistance, 246
organophosphate, 444
permethrin, 1303
pyriproxyfen, 1754
resistance management, 1040
synergist, 444
Hardy-Weinberg, *Epiphyas postvittana*, 1308
resistance, 1308
harvest management, cultural control, 1241
Hypera postica, 1241
hay, *Mayetiola destructor*, 803
quarantine, 803
heat, *Asononychus godmani*, 1773
citrus, 1773
heated air, probit 9, 462
Tephritidae, 462
Helicoverpa armigera, IRM strategy, 205
Israel, 205
Helicoverpa zea, acephate, 860
antibiosis, 1291
bioassay, 1291
corn silk, 939
crop loss, 906
economic injury level, 1228
Heliothis virescens, 1228
host-plant resistance, 952
maysin, 939
migration, 1429
nocturnal activity, 407
Ostrinia nubilalis, 952
pheromone trap, 407
pollen, 1429
pyrethroid, 1651
resistance, 1651
simulation, 906
snap bean, 860
Helicoverpa spp., bioassay, 234
development, 360
endoparasitoid, 360
larvae, 234
Heliothis virescens, *Bacillus thuringiensis*, 735
Bacillus thuringiensis, 181
biogenic amine, 294
economic injury level, 1228
formamidine mode of action, 294
Gossypium hirsutum, 735
Helicoverpa zea, 1228
transgenic cotton, 181
Heliothis, genome size, 1030
gossypol, 1014
pyrethroid resistance, 1014
resistance, 1030
honey bee, parasitism, 712
tracheal mite, 712
host chemistry, feeding stimulant, 957
sweet potato, 957
host finding, Thripidae, 1405
volatile chemical, 1405
host plant, *Bemisia tabaci*, 652
benzoylphenylureas, 809
insecticide resistance, 652
Lymantria dispar, 809
host resistance, *Calocoris angustatus*, 607
sorghum, 607
host-plant preference, onion, 1706
Thripidae, 1706
host-plant resistance, antibiosis, 981
bean fly, 1287
Bemisia tabaci, 1857
Gossypium, 1857
Helicoverpa zea, 952
Medicago sativa L., 614
Ophiomyis phaseoli, 981
Ostrinia nubilalis, 952
Pectinophora gossypiella, 1094
phenology, 1094
Spissistilus festinus (Say), 614
Vigna glabrescens, 1287
host-resistance evaluation, *Graminella nigrifrons*, 1579
virus vector, 1579
hot-water immersion, *Anastrepha suspensa*, 793
cold storage, 793
human food, *Acheta domesticus*, 1424
mass production, 1424
Hydrellia wirthi, drainage, 1820
seeding rate, 1820
hydrogen phosphide fumigation, *Mayetiola destructor*, 76
pressure, 76
Hylobius, distribution pattern, 475
Pachylobius, 475
Hypera postica, cultural control, 1241
harvest management, 1241
hyperthermia, *Anastrepha suspensa*, 1162
thermal death, 1162

I
identification, grain aphids, 137
immature, 137
IGR, fenoxycarb, 1136
Monomorium pharaonis, 1136
imidacloprid, *Diuraphis noxia*, 586
fungicide, 586
immature development, fly pest, 455
Musca domestica, 455
immature, grain aphids, 137
identification, 137
immunoassay, myosin, 1584
Sitophilus granarius, 1584
impact assessment, *Megastigmus spermotrophus*, 845
seed orchard, 845
inducible resistance, *Glycine max*, 401
Pseudoplusia includens, 401
infestation level, *Cydia pomonella*, 70
quarantine treatment, 70
inheritance, dicofol, 275
Panonychus ulmi, 275
insect growth regualtor, *Haematobia irritans*, 1754
pyriproxyfen, 1754
Anthonomus grandis grandis, 310
Coptotermes formosanus, 1453
feeding, 310
Reticulitermes flavipes, 1453
insect sound, sampling, 1271
stored-product beetle, 1271
insecticidal bait, abmamectin, 767
Blattella germanica, 767
insecticide, *Aphis gossypii*, 1026
bioassay, 1171
biological control, 1824
control, 1259
Cotton aphid, 1824
Diabrotica spp., 1473
dihydrooxadiazines, 1339
Diuraphis noxia, 1259
Haematobia irritans, 1040
Pissodes strobi, 1171
resistance management, 1026
resistance management, 1040
Reticulitermes hesperus, 53

root injury, 1473
soil, 53
Tetranychus urticae, 1339
insecticide age-specificity, *Blattella germanica*, 785
insecticide resistance, 785
insecticide contamination, lettuce, 1781
pesticide residue, 1781
insecticide resistance, age-structure, 246
Bacillus thuringiensis, 635
Bemisia tabaci, 652
Blattella germanica, 785, 1124
choice test, 1124
Coleoptera, 239
Colorado potato beetle, 289
diagnostic concentration, 635
diamondback moth, 11
genetic change, 645
genetics, 680
Haematobia irritans, 246
host plant, 652
insecticide age-specificity, 785
Leptinotarsa decemlineata, 283, 1324
monitoring, 995
Plutella xylostella, 11, 680, 995
sample size, 283
selection, 1324
stored products, 239
transposable element, 645
within-field variation, 289
insecticide treatment, *Anarsia lineatella*, 1679
biological control, 1679
inspection, detection, 1720
termite, 1720
integrated pest management, biocontrol, 879
economics, 879
Elasmopalpus lignosellus, 164
soil insect, 164
IRM strategy, *Helicoverpa armigera*, 205
Israel, 205
Israel, *Helicoverpa armigera*, 205
IRM strategy, 205

J

Japanese beetle, entomopathogenic nematode, 353
Xenorhabdus, 353
juvenile hormone analogue, *Blatta orientalis*, 436
cockroach, 436

L

laboratory adaptation, *Cochliomyia hominivorax*, 1464
oviposition, 1464
larvae, bioassay, 234
Helicoverpa spp., 234
larval burrowing, *Curculio caryae*, 1714
X-ray CT, 1714
larval growth, 3-epicaryoptin, 1599
Ostrinia, 1599
Leptinotarsa decemlineata, antifeedant, 1793
Bacillus thuringiensis, 226, 330
Bacillus thuringiensis endotoxin, 1793
biological control, 226
Colorado potato beetle, 511
Diabrotica spp., 330
Epitrix cucumeris, 1527
insecticide resistance, 283, 1324
residue activity of insecticide, 511
sample size, 283
selection, 1324
yield response, 1527
lettuce, insecticide contamination, 1781
pesticide residue, 1781
life table, *Acyrthosiphon pisum*, 1852
plant resistance, 1852
Liriomyza trifolii, plant resistance, 100
sampling technique, 523
sticky trap, 523
tomato, 100
Lissorhoptrus oryzophilus, flight behavior, 1376
rice, 1376
Lygus hesperus, acetylcholinesterase, 1656
esterase, 1656
sampling, 1191
strawberry, 1191
Lygus lineolaris, *Fragaria x ananassa*, 505
fruit development, 505
Plagiognathus spp., 110
Rubus spp., 110
Lymantria dispar, *Bacillus thuringiensis*, 26, 1178
barrier band, 1497
benzoylphenylureas, 809
coated twine, 821
Gypchek, 1185
gypsy moth, 838
host plant, 809
mating disruption, 815
mechanical control, 1497
nuclear polyhedrosis virus, 1185
pest control, 26
pheromone, 815
pheromone trap, 86
population density, 86
population suppression, 1178
sex pheromone, 821
temperature, 838
contingent valuation method, 828
gypsy moth control, 828

M

Macrosteles quadrilineatus, aster yellow, 1522
mycoplasma, 1522
maize, planting date, 174
Sitotroga cerealella, 174
male release, evolution of resistance, 189
Musca domestica, 189
mass production, *Acheta domesticus*, 1424
human food, 1424
mass rearing, *Ceratitis capitata*, 301
pH, 301
mass-rearing technique, *Bactrocera latifrons*, 1157
sterile insect technique, 1157
mating, *Diabrotica virgifera virgifera*, 1664
ovarian development, 1664
mating behavior, eupyrene sperm, 1104
suppression, 1104
mating disruption, *Eoreuma loftini*, 377
Lymantria dispar, 815
pheromone, 377, 815
mating success, *Bacillus thuringiensis*, 1035
Plutella xylostella, 1035
Mayetiola destructor, hay, 803
hydrogen phosphide fumigation, 76
pressure, 76
quarantine, 803
maysin, corn silk, 939
Helicoverpa zea, 939
mechanical control, barrier band, 1497
Lymantria dispar, 1497
Medicago sativa L., host-plant resistance, 614
Spissistilus festinus, 614
Megastigmus spermotrophus, *Contarinia oregonensis*, 470
impact assessment, 845
Oligonychus ununguis, 470
seed orchard, 845
migration, *Helicoverpa zea*, 1429
pollen, 1429
monitoring, Cylas formicarius, 1109
insecticide resistance, 995
Plutella xylostella, 995
sex pheromone, 1109
monitoring thrips, emergence trap, 46
Taeniothrips inconsequens, 46
Monomorium pharaonis, fenoxycarb, 1136
IGR, 1136
mortality, *Cylas formicarius*, 722
entomopathogenic nematode, 722
multiple queens, exotic pest,

1344
polygyny, 1344
Musca domestica, acetylcholinesterase, 258
Diptera, 1686
evolution of resistance, 189
fly pest, 455
immature development, 455
male release, 189
Muscovy duck, 1686
pest management, 1746
population dynamics, 450
sticky card, 450
Stomoxys calcitrans, 1746
thiodicarb resistance, 258
Muscovy duck, Diptera, 1686
Musca domestica, 1686
mutagenesis, cyromazine resistance, 1001
Drosophila melanogaster, 1001
mycoplasma, aster yellow, 1522
Macrosteles quadrilineatus, 1522
myosin, immunoassay, 1584
Sitophilus granarius, 1584
Myzus nicotianae, TEV, 1534
virus epidemiology, 1534
Myzus persicae, deltamethrin, 1019
tomato, 1019

N
needle anatomy, *Choristoneura occidentalis*, 93
Douglas-fir, 93
Nezara viridula, phenology, 1088
soybean, 1088
noctuidae, *Bacillus thuringiensis* activity, 1064
Gossypium hirsutum, 1064
nocturnal activity, *Helicoverpa zea*, 407
pheromone trap, 407
nonstructural carbohydrate, *Adoretus sinicus*, 1416
preferential feeding, 1416
nontarget effect, Arthropoda, 494
centipedegrass, 494
nuclear polyhedrosis virus, Gypchek, 1185
Lymantria dispar, 1185

O
Oebalus pugnax, damage function, 1250
fungi, 549
rice, 549, 1250
Oligonychus ununguis, *Contarinia oregonensis*, 470
Oligonychus ununguis, *Megastigmus spermotrophus*, 470
onion, host-plant preference, 1706
Thripidae, 1706
Ophiomyia phaseoli, antibiosis, 981
host-plant resistance, 981
orchid, *Frankliniella occidentalis*, 1483
Thrips palmi, 1483
organochlorine pesticide, *Coptotermes formosanus*, 761
termite control, 761
organophosphate, *Haematobia irritans*, 444
synergist, 444
organophosphate resistance, *Cydia pomonella*, 660
resistance detection, 660
Ostrinia nubilalis, distribution model, 747
Helicoverpa zea, 952
host-plant resistance, 952
Zea mays, 747
Ostrinia, 3-epicaryoptin, 1599
larval growth, 1599
Otiorhynchus sulcatus, biological control, 340
entomogenous nematode, 340
ovarian development, *Diabrotica virgifera virgifera*, 1664
mating, 1664
overwintering, *Anthonomus grandis*, 421
cotton, 421
oviposition, *Cacopsylla pyricola*, 1297
Cochliomyia hominivorax, 1464
Delia antiqua, 1440
laboratory adaptation, 1464
pear, 1297
trap crop, 1440

P
Pachylobius, distribution pattern, 475
Hylobius, 475
paclobutrazol, *Anisota senatoria*, 1446
tree growth regulator, 1446
Panonychus ulmi, flufenoxuron, 1334
Tetranychus urticae, 1334
dicofol, 275
inheritance, 275
Papaipema nebris, tillage, 924
weed, 924
parasitism, biological control, 1069
Diadegma insulare, 1196
diamondback moth, 1196
honey bee, 712
Phyllonorycter blancardella, 1069
tracheal mite, 712
parathion, resistance, 1317
Schizaphis graminum, 1317
pasture persistence, *Bradysia* spp., 1420
forage legume, 1420
peanut insect pest, predaceous arthropod, 1802
sampling technique, 1802
pear, *Cacopsylla pyricola*, 1297
fruit set, 486
oviposition, 1297
Tetranychus urticae, 486
Pectinophora gossypiella, host-plant resistance, 1094
phenology, 1094
permethrin, Acari, 536
diazinon, 1303
growth, 1236
Haematobia irritans, 1303
Pseudoplusia includens, 1236
twospotted spider mite, 536
pest control, *Bacillus thuringiensis*, 26
Lymantria dispar, 26
pest management, *Musca domestica*, 1746
Stomoxys calcitrans, 1746
pesticide, *Diadegma insulare*, 529, 1203
diamondback moth, 1203
Plutella xylostella, 529
pesticide residue, insecticide contamination, 1781
lettuce, 1781
pesticide resistance, *Aphytis melinus*, 195
citrus IPM, 195
pH, *Ceratitis capitata*, 301
mass rearing, 301
Phaseolus vulgaris, economic injury level, 1574
Epilachna varivestis, 1574
phenology, host-plant resistance, 1094
Nezara viridula, 1088
Pectinophora gossypiella, 1094
soybean, 1088
pheromone, *Eoreuma loftini*, 377
Lymantria dispar, 815
mating disruption, 377, 815
Rhynchophorus palmarum, 1381
trap, 1381
pheromone trap, *Cydia pomonella*, 1
Helicoverpa zea, 407
Lymantria dispar, 86
nocturnal activity, 407
population density, 86
response variation, 1
photosynthesis, *Bemisia tabaci*, 517
chlorosis, 517
corn, 1546
Diabrotica virgifera virgifera, 1546
Phyllonorycter blancardella, biological control, 1069
parasitism, 1069
Pissodes strobi, bioassay, 1171
insecticide, 1171
Plagiognathus spp., Lygus lineolaris, 110
Rubus spp., 110
plant extract, feeding behavior, 1490

spruce budworm, 1490
plant lectin, biotechnology, 945
Empoasca fabae, 945
plant resistance, *Acyrthosiphon pisum*, 1852
aphid damage, 974
barley, 1603
biotype, 1502
Busseola fusca, 962
Chilo partellus, 962
Diuraphis noxia, 1603
grape phylloxera, 1502
life table, 1852
Liriomyza trifolii, 100
Russian wheat aphid, 974
tomato, 100
plant response, *Diabrotica virgifera virgifera*, 1557
root injury, 1557
planting date, boll weevil, 1213
cotton pest, 1213
maize, 174
Sitotroga cerealella, 174
Platynota idaeusalis (Walker), azinphosmethyl resistance, 213
esterase, 213
plum curculio, biological control, 1078
entomopathogenic nematode, 1078
Plutella xylostella, Diadegma insulare, 529
diamondback moth, 11
genetics, 680
insecticide resistance, 11, 680, 995
monitoring, 995
pesticide, 529
Bacillus thuringiensis, 1035
mating success, 1035
Poa pratensis L., Carabidae, 871
Staphylinidae, 871
pollen, *Helicoverpa zea*, 1429
migration, 1429
pollination, *Apis mellifera*, 131, 416
strawberry, 416
Vaccinium, 131
polygyny, exotic pest, 1344
multiple queens, 1344
population density, *Lymantria dispar*, 86
pheromone trap, 86
population dynamics, *Musca domestica*, 450
sticky card, 450
population suppression, *Bacillus thuringiensis*, 1178
Lymantria dispar, 1178
predaceous arthropod, peanut insect pest, 1802
sampling technique, 1802
predation, *Bemisia tabaci*, 322
cultivar resistance, 929
Delphastus pusillus, 322
Diatraea saccharalis, 929
preferential feeding, *Adoretus sinicus*, 1416
nonstructural carbohydrate, 1416
pressure, hydrogen phosphide fumigation, 76
Mayetiola destructor, 76
pressure chamber, atmospheric pressure, 1393
virus transmission, 1393
probit 9, heated air, 462
Tephritidae, 462
propargite, European red mite, 854
residue, 854
protease, digestion, 1049
stored-maize beetle, 1049
Prunus spp., quarantine, 1766
Rhagoletis completa, 1766
Pseudatomoscelis seriatus, cotton, 1811
economic injury level, 1811
Pseudaulacaspis cockerelli, *Strelitzia reginae*, 1167
thermal death, 1167
Pseudoplusia includens, feeding activity, 265
Glycine max, 401
growth, 1236
inducible resistance, 401
permethrin, 1236
soybean, 265
pyrethroid, *Blattella germanica*, 1631
Helicoverpa zea, 1651
resistance, 1631, 1651
pyrethroid resistance, *Blattella germanica*, 20, 1639
discontinued selection, 1639
gossypol, 1014
Heliothis, 1014
resistance factor, 20
pyriproxyfen, *Haematobia irritans*, 1754
insect growth regualtor, 1754

Q

quarantine, *Cydia pomonella*, 1761
export, 1761
hay, 803
Mayetiola destructor, 803
Prunus spp., 1766
Rhagoletis completa, 1766
quarantine treatment, *Bactrocera cucumis*, 66
Bactrocera tryoni, 798
Ceratitis capitata, 798
Cydia pomonella, 70
infestation level, 70
vapor heat, 66

R

rearing, *Anarsia lineatella*, 1399
artificial diet, 1399
regulation, economics, 684
resistance, 684
repellency, solvent, 1131
subterranean termite, 1131
reproductive diapause, *Anthonomus grandis*, 369
cotton, 369
residue, European red mite, 854
propargite, 854
residue activity of insecticide, Colorado potato beetle, 511
Leptinotarsa decemlineata, 511
resistance, *Bacillus thuringiensis*, 697, 989
Blattella germanica, 1009, 1623, 1631
Chilo partellus, 739, 886, 969
diamondback moth, 697
Diuraphis noxia, 1609
economics, 684
endotoxin, 989
Epiphyas postvittana, 1308
esterase, 1009
genome size, 1030
Hardy-Weinberg, 1308
Helicoverpa zea, 1651
Heliothis, 1030
parathion, 1317
pyrethroid, 1631, 1651
regulation, 684
resistance mechanism, 1623
Schizaphis graminum, 1317
Triticeae, 1609
Zea mays, 739, 886, 969
resistance detection, *Cydia pomonella*, 660
organophosphate resistance, 660
resistance factor, *Blattella germanica*, 20
pyrethroid resistance, 20
resistance management, *Aphis gossypii*, 1026
Haematobia irritans, 1040
insecticide, 1026, 1040
resistance mechanism, *Blattella germanica*, 1623
resistance, 1623
response variation, *Cydia pomonella*, 1
pheromone trap, 1
Reticulitermes flavipes, *Coptotermes formosanus*,772, 1453
insect growth regulator, 1453
soil termiticide, 772
Reticulitermes hesperus, insecticide, 53
soil, 53
Rhagoletis completa, Prunus spp., 1766
quarantine, 1766
Rhododendron molle, botanical insecticide, 706
rhodojaponin III, 706
rhodojaponin III, botanical insecticide, 706
Rhododendron molle, 706
Rhopobota naevana, cranberry, 117
egg development, 117

Rhynchophorus palmarum,
pheromone, 1381
trap, 1381
rice, damage function, 1250
flight behavior, 1376
fungi, 549
Lissorhoptrus oryzophilus, 1376
Oebalus pugnax, 549, 1250
rice field management, Arthropoda, 149
species richness, 149
root injury, *Diabrotica virgifera virgifera*, 1557
Diabrotica spp., 1473
insecticide, 1473
plant response, 1557
Rubus spp., *Lygus lineolaris*, 110
Plagiognathus spp., 110
Russian wheat aphid, aphid damage, 974
plant resistance, 974
wheat, 899
yield, 899

S
sample size, insecticide resistance, 283
Leptinotarsa decemlineata, 283
sampling, cotton, 1116
Diuraphis noxia, 427
insect sound, 1271
Lygus hesperus, 1191
small grains, 427
stored-product beetle, 1271
strawberry, 1191
tarnished plant bug, 1116
sampling technique, *Liriomyza trifolii*, 523
peanut insect pest, 1802
predaceous arthropod, 1802
sticky trap, 523
Schizaphis graminum, carbohydrate, 363
parathion, 1317
resistance, 1317
Sorghum bicolor, 363
Scirtothrips citri, acetylcholinesterase, 1645
esterase, 1645
seed orchard, cone and seed insects, 465
impact assessment, 845
Megastigmus spermotrophus, 845
tree implant, 465
seeding rate, drainage, 1820
Hydrellia wirthi, 1820
selection, insecticide resistance, 1324
Leptinotarsa decemlineata, 1324
sentinel animal, *Cochliomyia hominivorax*, 1359
egg mass, 1359
sex pheromone, coated twine, 821
Cylas formicarius, 1109
Lymantria dispar, 821
monitoring, 1109
simulation, crop loss, 906
Helicoverpa zea, 906
Sitophilus granarius, immunoassay, 1584
myosin, 1584
maize, 174
planting date, 174
slugs, alfalfa, 917
trap, 917
small grains, *Diuraphis noxia*, 427
sampling, 427
snap bean, acephate, 860
Helicoverpa zea, 860
soil, insecticide, 53
Reticulitermes hesperus, 53
soil insect, *Elasmopalpus lignosellus*, 164
integrated pest management, 164
soil insecticide, *Conoderus* spp., 123
sweet potato, 123
soil termiticide, *Coptotermes formosanus*, 772
Reticulitermes flavipes, 772
Solenopsis invicta, ant mortality, 1083
Beauveria bassiana, 348, 1083
fire ant, 348
solvent, repellency, 1131
subterranean termite, 1131
sorghum, *Calocoris angustatus*, 607
host resistance, 607
Sorghum bicolor, carbohydrate, 363
Schizaphis graminum, 363
sound, detection, 933
stored products, 933
soybean, feeding activity, 265
Nezara viridula, 1088
phenology, 1088
Pseudoplusia includens, 265
space, *Apis mellifera*, 1672
density, 1672
species richness, Arthropoda, 149
rice field management, 149
Spissistilus festinus (Say), host-plant resistance, 614
Medicago sativa, 614
Spodoptera exigua, *Bacillus thuringiensis*, 314
baculovirus, 314
Spodoptera frugiperda, corn silage, 1266
Diatraea grandiosella, 394
economic injury level, 1266
food consumption and utilization in, 394
Spodoptera, endophyte, 621
grass, 621
spruce budworm, feeding behavior, 1490
plant extract, 1490
Staphylinidae, Carabidae, 871
Poa pratensis L., 871
Steinernema carpocapsae, *Blattella germanica*, 777
Ebeling choice box, 777
sterile insect technique, *Bactrocera latifrons*, 1157
mass-rearing technique, 1157
sterile male, boll weevil, 1693
sterility, 1693
sterility, boll weevil, 1693
sterile male, 1693
sticky card, *Musca domestica*, 450
population dynamics, 450
sticky trap, *Liriomyza trifolii*, 523
sampling technique, 523
Stomoxys calcitrans, Brahman heifer, 1144
Musca domestica, 1746
pest management, 1746
tolerance, 1144
stored products, Coleoptera, 239
detection, 933
insecticide resistance, 239
sound, 933
stored-grain insect, farm-stored wheat, 1590
grain protectant, 1590
stored-maize beetle, digestion, 1049
protease, 1049
stored-product beetle, insect sound, 1271
sampling, 1271
strawberry, *Apis mellifera*, 416
Lygus hesperus, 1191
pollination, 416
sampling, 1191
Strelitzia reginae, *Pseudaulacaspis cockerelli*, 1167
thermal death, 1167
subterranean termite, repellency, 1131
solvent, 1131
suppression, eupyrene sperm, 1104
mating behavior, 1104
sweet potato, *Conoderus* spp., 123
feeding stimulant, 957
host chemistry, 957
soil insecticide, 123
synergist, *Haematobia irritans*, 444
organophosphate, 444

T
Taeniothrips inconsequens, emergence trap, 46
monitoring thrips, 46
target-site resistance, acetylcholinesterase, 673
Colorado potato beetle, 673

tarnished plant bug, cotton, 1116
sampling, 1116
temperature, *Diuraphis noxia*, 544
fecundity, 544
gypsy moth, 838
Lymantria dispar, 838
Tephritidae, heated air, 462
probit 9, 462
termite, detection, 1720
inspection, 1720
termite control, *Coptotermes formosanus*, 761
organochlorine pesticide, 761
Tetranychus urticae, aesthetics, 1516
cotton, 566
dihydrooxadiazines, 1339
economic injury level, 566, 1516
flufenoxuron, 1334
fruit set, 486
insecticide, 1339
Panonychus ulmi, 1334
pear, 486
TEV, *Myzus nicotianae*, 1534
virus epidemiology, 1534
thermal death, *Anastrepha suspensa*, 1162
hyperthermia, 1162
Pseudaulacaspis cockerelli, 1167
Strelitzia reginae, 1167
thiodicarb resistance, acetylcholinesterase, 258
Musca domestica, 258
Thripidae, host finding, 1405
host-plant preference, 1706
onion, 1706
volatile chemical, 1405
Thrips palmi, *Frankliniella occidentalis*, 1483
orchid, 1483
tillage, *Papaipema nebris*, 924
weed, 924
tolerance, Brahman heifer, 1144
Stomoxys calcitrans, 1144
tomato, deltamethrin, 1019
Liriomyza trifolii, 100
Myzus persicae, 1019
plant resistance, 100
tomato spotted wilt virus, *Frankliniella* spp., 40
winter, 40
toxic bait, *Camponotus pennsylvanicus*, 1730
delayed-action toxicity, 1730
tracheal mite, honey bee, 712
parasitism, 712
transgenic cotton, *Bacillus thuringiensis*, 181
Heliothis virescens, 181
transmission, bacterial ring rot, 1223
Epitrix cucumeris, 1223
transposable element, genetic change, 645
insecticide resistance, 645
trap, alfalfa, 917
pheromone, 1381
Rhynchophorus palmarum, 1381
slugs, 917
trap crop, *Delia antiqua*, 1440
oviposition, 1440
tree growth regulator, *Anisota senatoria*, 1446
paclobutrazol, 1446
tree implant, cone and seed insects, 465
seed orchard, 465
trimedlure, ammonia, 1700
Ceratitis capitata, 1700
Triticeae, *Diuraphis noxia*, 1609
resistance, 1609
twospotted spider mite, Acari, 536
permethrin, 536
Tyria jacobaeae, *Bacillus thuringiensis*, 334
cinnabar moth, 334

U

Uroleucon pseudambrosiae, Aphididae, 1786
watermelon mosaic virus 2, 1786

V

Vaccinium, *Apis mellifera*, 131
pollination, 131
vapor heat, *Bactrocera cucumis*, 66
quarantine treatment, 66
Vigna glabrescens, bean fly, 1287
host-plant resistance, 1287
virus epidemiology, *Myzus nicotianae*, 1534
TEV, 1534
virus transmission, atmospheric pressure, 1393
pressure chamber, 1393
virus vector, *Graminella nigrifrons*, 1579
host-resistance evaluation, 1579
volatile chemical, host finding, 1405
Thripidae, 1405

W

watermelon mosaic virus 2, Aphididae, 1786
Uroleucon pseudambrosiae, 1786
weed, *Papaipema nebris*, 924
tillage, 924
wheat, carbon dioxide, 1846
Cryptolestes ferrugineus, 1846
Diuraphis noxia, 594
economic injury level, 594
Euxoa auxiliaris, 159
Russian wheat aphid, 899
yield, 899
yield impact, 159
winter, *Frankliniella* spp., 40
tomato spotted wilt virus, 40
within-field variation, Colorado potato beetle, 289
insecticide resistance, 289

X

X-ray CT, *Curculio caryae*, 1714
larval burrowing, 1714
Xenorhabdus, entomopathogenic nematode, 353
Japanese beetle, 353

Y

yield, Russian wheat aphid, 899
wheat, 899
yield impact, *Euxoa auxiliaris*, 159
wheat, 159
yield response, *Epitrix cucumeris*, 1527
Leptinotarsa decemlineata, 1527

Z

Zea mays, *Chilo partellus*, 739, 886, 969
distribution model, 747
Ostrinia nubilalis, 747
resistance, 739, 886, 969